

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	NO. FILING DATE		FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/025,885	1	2/26/2001	Tsunemi Tokuhara	2001_1887A	2001_1887A 9250	
513	7590	10/11/2005		EXAM	EXAMINER	
	•	D & PONACK, L.	JEAN GILL	JEAN GILLES, JUDE		
2033 K STREET N. W. SUITE 800				ART UNIT	PAPER NUMBER	
WASHINGT	ON, DC	20006-1021	2143			

DATE MAILED: 10/11/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

7			•
	Application No.	Applicant(s)	
	10/025,885	TOKUHARA, TSUNEN	и
Office Action Summary	Examiner	Art Unit	
	Jude J. Jean-Gilles	2143	
The MAILING DATE of this communication ap Period for Reply	ppears on the cover sheet w	ith the correspondence addres	3S
A SHORTENED STATUTORY PERIOD FOR REP WHICHEVER IS LONGER, FROM THE MAILING - Extensions of time may be available under the provisions of 37 CFR 1 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory perio - Failure to reply within the set or extended period for reply will, by statu. Any reply received by the Office later than three months after the mail earned patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUNI 1.136(a). In no event, however, may a d d will apply and will expire SIX (6) MON tte, cause the application to become Al	CATION. eply be timely filed ITHS from the mailing date of this commu	·
Status			
1) ☐ Responsive to communication(s) filed on 26 2a) ☐ This action is FINAL. 2b) ☐ Th 3) ☐ Since this application is in condition for allow closed in accordance with the practice under	is action is non-final. ance except for formal mat	· •	erits is
Disposition of Claims			
4) ☐ Claim(s) 1-8 is/are pending in the application 4a) Of the above claim(s) is/are withdr 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-8 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and	rawn from consideration.		
Application Papers			·
9) ☐ The specification is objected to by the Examin 10) ☐ The drawing(s) filed on 26 December 2001 is Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) ☐ The oath or declaration is objected to by the I	/are: a)⊠ accepted or b)□ e drawing(s) be held in abeyar ection is required if the drawing	nce. See 37 CFR 1.85(a). (s) is objected to. See 37 CFR 1	.121(d).
Priority under 35 U.S.C. § 119			,
a) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority documents. 2. Certified copies of the priority documents. 3. Copies of the certified copies of the priority documents. * See the attached detailed Office action for a list.	nts have been received. nts have been received in A iority documents have been au (PCT Rule 17.2(a)).	opplication No received in this National Sta	ge
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/0-Paper No(s)/Mail Date	Paper No(Summary (PTO-413) s)/Mail Date nformal Patent Application (PTO-152	2)

DETAILED ACTION

This office action is responsive to communication filed on 12/26/2001. Claimed priority is granted from foreign application No. 2000-400870, with a priority date of 12/28/2000.

Claim Rejections - 35 USC § 112

- 1. The following is a quotation of the second paragraph of 35 U.S.C. 112:
 - The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.
- 2. Claim 15 is rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.
- Claim 1, recites the phrase "the same structure" in line 2. There is no antecedent basis for this limitation in the claim.
- Claim 1, recites the phrase "such as" in line 4. There is no antecedent basis for this limitation in the claim.
- Claim 1, recites the phrase "and the like" in line 4-5. There is no antecedent basis for this limitation in the claim.
- Claim 1, recites the phrase "the exchange of the data" in line 18. There is no antecedent basis for this limitation in the claim.
- Claim 2, recites the phrase "such as" in line 2. There is no antecedent basis for this limitation in the claim.
- Claim 2, recites the phrase "and the like" in lines 2-3. There is no antecedent basis for this limitation in the claim.

The above noticed problems are just exemplary. Applicant is requested to thoroughly review the application and correct the same.

Claim Rejections - 35 USC § 103

- 3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 4. Claims 1-8 are rejected under 35 U.S.C. 103(a) as being unpatentable over Tarui et al(Tarui), U.S. Patent No: 6510496 B1 in view of in Koenck et al (Koenck) U.S. Patent No. 6,714,983 B1.

Regarding claim 5, Tarui teaches the invention substantially as claimed. Tarui fully discloses in a coupled type computers of a type wherein the computers of the same structure are coupled to form an ensemble type computers (fig. 1, items 100-800),

wherein a holder is formed by a polyhedron cube, and computer components such as CPUs, memories and the like are built in the holder, and a cavity is provided in the inside of the holder to form a radio propagation bus space (fig. 1, items 190, 170, 170a; column 4, lines 34-67; column 5, lines 1-30)and

a plurality of radio.electric signal interconversion elements provided with a signal identification means are disposed which face the radio propagation space, and each radio electric signal interconversion element is connected to the corresponding

Application/Control Number: 10/025,885

Art Unit: 2143

computer components, and a plurality of radio lines for radio propagation communicating with the radio propagation bus space are provided on the holder and holes communicating with the radio lines open to the surface of the outside of the holder, and (column 12, lines 6-67; column 13, lines 1-59),

when the same structure holders approach, each of the radio propagation bus space of the adjacent holders are mutually communicated by means of the radio lines, and the exchange of the data is allowed to carry out between each computer components in the holder and the computer components in a plurality of the adjacent holders through the transmission and reception of the radio electric signal interconversion elements (column 4, lines 34-67; column 5, lines 1-30). However Tarui does not specifically disclose the radio bus lines of the invention. In the same field of endeavor, Koenck teaches "...radio card that has corresponding plurality of lines for electrical signal connections...." [see Koenck; column 34, lines 43-67]

Accordingly, it would have been obvious to one of ordinary skill in the networking art at the time the invention was made to have incorporated Koenck's teachings focusing a radio transmission of electrical signals, with the teachings of Tarui, for the purpose of "providing a method for realize the fault containment between partitions and improve the system performance...." as stated by Tarui in lines 1-6 of column 2. By this rationale **claim 1** is rejected.

Regarding claim 2, the combination of Tarui-Koenck teaches a method of coupling computers, which method comprises building computer components such as

Application/Control Number: 10/025,885

Art Unit: 2143

CPUs, memories and the like in a holder made of polyhedron cube (see Tarui; fig. 1, items 190, 170, 170a; column 4, lines 34-67; column 5, lines 1-30),

forming radio propagation bus space consisting of a cavity in the inside of the holder, disposing a plurality of radio electric signal interconversion elements provided with a signal identification means which face the radio propagation bus space in the holder (see Tarui; column 4, lines 34-67; column 5, lines 1-30),

connecting the radio electric signal interconversion elements to the computer components, opening holes communicating the radio propagation bus space on the surface of outside of the holder by means of the radio lines, matching the holes by causing a plurality of the holders of the same structure to be adjacent to one another (see Tarui; column 4, lines 34-67; column 5, lines 1-30; see Koenck; column 34, lines 43-67),

allowing the radio propagation bus spaces in the plurality of the holders to mutually communicate through the matched holes, and coupling the computer components in each holder by means of the radio by causing a plurality of the holders to be adjacent to one another (see Tarui; column 4, lines 34-67; column 5, lines 1-30; see Koenck; column 34, lines 43-67).

The same motivation that was used for claim 1 is also valid for this claim [see Tarui, column 2, lines 1-6]. By this rationale, **claim 2** is rejected.

Regarding claim 3, the combination of Tarui-Koenck teaches a coupled type computers according to claim 1, wherein the computer components are disposed in the proximity of the radio propagation bus space, and a medium for cooling is caused to

flow to the radio propagation bus space and the radio lines (see Koenck; column 34, lines 43-67.

The same motivation that was used for claim 1 is also valid for this claim [see Tarui, column 2, lines 1-6]. By this rationale, **claim 3** is rejected.

Regarding claim 4, the combination of Tarui-Koenck teaches a method of coupling computers according to claim 2, wherein the computer components are disposed in the proximity of the radio propagation bus space, and a medium for cooling is caused to flow to the radio propagation bus space and the radio lines, whereby the computer components are cooled [see Koenck; column 34, lines 1-67].

The same motivation that was used for claim 1 is also valid for this claim [see Tarui, column 2, lines 1-6]. By this rationale, **claim 4** is rejected.

Regarding claim 5, the combination of Tarui-Koenck teaches a coupled type computers according to claim 1, wherein the radio for power source energy is emitted to the radio propagation bus space, and the power source energy is supplied to the computer components (see Koenck; column 34, lines 43-67].

The same motivation that was used for claim 1 is also valid for this claim [see Tarui, column 2, lines 1-6]. By this rationale, **claim 5** is rejected.

Regarding claim 6, the combination of Tarui-Koenck teaches a method of coupling computers according to claim 2, wherein the radio for power source energy is emitted to the radio propagation bus space, and the power source energy is supplied to the computer components see [Koenck; column 34, lines 43-67].

Art Unit: 2143

The same motivation that was used for claim 1 is also valid for this claim [see Tarui, column 2, lines 1-6]. By this rationale, **claim 6** is rejected.

Regarding claim 7, the combination of Tarui-Koenck teaches a coupled computers according to claim 1, wherein the holder is formed in a cubic shape, and holes are bored in the center of each surface to allow a communication between the radio lines and the holes [see Tarui; fig. 1, items 190, 170, 170a; column 4, lines 34-67; column 5, lines 1-30]. The same motivation that was used for claim 1 is also valid for this claim [see Tarui, column 2, lines 1-6]. By this rationale, claim 7 is rejected.

Regarding claim 8, the combination of Tarui-Koenck teaches a method of coupling computers according to claim 2, wherein the holder is formed in cubic shape, and holes are bored in the center of each surface to allow a communication between the radio lines and the holes [see Tarui; fig. 1, items 190, 170, 170a; column 4, lines 34-67; column 5, lines 1-30]. The same motivation that was used for claim 1 is also valid for this claim [see Tarui, column 2, lines 1-6]. By this rationale, claim 8 is rejected.

Conclusion

5. Any inquiry concerning this communication or earlier communications from examiner should be directed to Jude Jean-Gilles whose telephone number is (571) 272-3914.

The examiner can normally be reached on Monday-Thursday and every other Friday from 8:00 AM to 5:30 PM.

Application/Control Number: 10/025,885

Art Unit: 2143

Page 8

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Wiley, can be reached on (571) 272-3923. The fax phone number for the organization where this application or proceeding is assigned is (703) 305-3719.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 305-3900.

Jude Jean-Gilles

Patent Examiner

Art Unit 2143

JJG

September 20, 2005

DAVID WILEY
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2100